

SAFETY DATA SHEET according to regulation (EC) No.1907/2006

SECTION 1: Identification of the substance/mixture and company

1.1. Product Identifier

Product code: Q3OR

Name: Quadrapower OR

1.2. Product Uses

Designed to remove traffic film or degrease engines, and chassis. Other specialist applications include cleaning of buildings, concrete floors, paved areas, marine equipment and engineering components.

1.3. Supplier

Quadralene Ltd
Bateman Street
Derby
DE23 8JL

Phone: 01332 292500

Web: www.quadralene.co.uk

Fax: 01332 295941

Email: info@quadralene.co.uk

1.4. Emergency telephone number

Emergency telephone number: 01332 292402

SECTION 2: Hazards identification (Undiluted product)

2.1. Classification of the mixture

According to 1272/2008

Health Hazards: Carc. 2, Eye Dam. 1, Skin Corr. 1B

Physical Hazards: Met. Corr. 1

Environmental Hazards: Not Classified

2.2. Label elements

According to 1272/2008

Danger



H314 Causes severe skin burns and eye damage H318 Causes serious eye damage

H351 Suspected of causing cancer

H290 May be corrosive to metals

EUH208 Contains 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one. May produce an allergic reaction

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P234 Keep only in original container. P390 Absorb spillage to prevent material damage.

P405 Store locked up.

2.3. Other hazards

SECTION 3: Composition/ information on ingredients

Material	CAS number	Level	Hazards (see section 16)	
Trisodium nitrilotriacetate	5064-31-3	5-15%	Carc. 2, Eye Irrit. 2, Met. Corr. 1	H319 H290 H351
Anionic surfactant	68891-38-3	1-5%	Eye Dam. 1, Skin Irrit. 2	H315 H318
Sodium hydroxide	1310-73-2	2-5%	Skin Corr. 1A	H314
Anionic surfactant	1300-72-7	1-5%	Eye Irrit. 2	H319
Nonionic surfactant	68439-46-3	1-5%	Acute Tox. 4, Eye Dam. 1	H302 H318
Orange terpenes	68647-72-3	0-1%	Aquatic Chronic 1, Asp. Tox. 1, Flam. Liq. 3, Skin Irrit. 2	H226 H304 H315 H410

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye contact: Immediately flush eyes with water, holding eyelids apart, for at least 10 minutes. Seek medical assistance immediately.

Skin contact: Remove contaminated clothing, wash skin with soap and water. Seek medical attention immediately.

Inhalation: If irritation occurs, remove to fresh air, keep warm and at rest, seek medical attention immediately.

Ingestion: Do not induce vomiting. If conscious, give water to drink. Seek medical assistance immediately.

First aider PPE: As required to prevent contact. See section 8.2.

4.2. Most important symptoms and effects, both acute and delayed

Eye hazard: Will cause severe irritation and damage.

Skin hazard: Causes burns.

Respiratory hazard: Breathing spray mist may cause irritation.

Other hazards:

4.3. Indication of any immediate medical attention and special treatment needed

No special treatment or attention required additional to section 4.2.

SECTION 5: Fire fighting measures

Flammability hazard: Not combustible.

5.1. Extinguishing media

No special requirements. As appropriate for the fire.

5.2. Special hazards arising from the mixture

No specific hazards arising from the mixture.

5.3. Advice for firefighters

No special measures arising from the mixture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Take precautions to avoid contact. Use Personal Protective Equipment as detailed in section 8

Spillage may make floors slippery. Keep the area clear. Observe regulations.

6.2. Environmental precautions

Prevent spills from entering water courses.

6.3. Methods and material for containment and cleaning up

Large quantities, contain and absorb or pump into suitable containers for disposal.

Small quantities, flush to foul sewer with a large quantity of water.

6.4. Reference to other sections

Observe the advice given in sections 8 and 13

SECTION 7: Handling and storage

Shelf life: 24 months in original sealed containers.

7.1. Precautions for safe handling

Do not mix with other products. Observe good industrial hygiene.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry place protected from frost and away from acids and strong oxidising agents. Store upright in original containers. Recommended storage temperature 5-25°C.

7.3. Product Uses

Optimum working concentration is 0.25% at the point of application, with either hot or cold water. Pre-dilute with up to four equal volumes of water if required. For the greatest safety and economy, adjust the detergent feed to be just sufficient to give the required cleaning action. Minimise contact with alkali sensitive surfaces. Rinse the cleaned surface with water, not allowing the cleaning solution to dry on. Machine manufacturers recommend you run plain water through the machine after use.

Please refer to product safety data sheet before use. Use only as directed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits

Sodium hydroxide 2mg/m³ WEL 15 min STEL (UK EH40)

8.2. Exposure controls

These measures are suggested on the basis of general use methods and may not be appropriate to all potential uses of the product. The user is responsible for carrying out a full risk assessment of their specific processes and systems of work.

Eye protection: Wear a full face visor to BS EN 166 39B
Hand protection: Wear pvc or latex gloves. Exact choice of glove depends on specific risk assessments.
Body protection: As necessary to prevent contact.
Respiratory protection: Use in a well ventilated area, avoid breathing spray mist, wear a protective mask to EN149 if necessary.
Other protection:

Personal protective equipment:



Exact PPE requirements should be determined from a specific risk assessment of the processes being carried out.

Environmental protection: Prevent mixture from entering water courses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Orange liquid

Odour: Characteristic, citrus

pH (typical): 11.8 1% in water (typical).

Initial boiling point: 100°C.

Flash point: Not applicable.

Auto-ignition temp: Not applicable.

Viscosity: Free flowing.

Explosive properties: Not applicable.

Oxidising properties: Not applicable.

Vapour pressure: 17.5mm Hg at 20°C.

Solubility: Miscible with water.

Relative density at 20° C (typical): 1.142

9.2. Other information

SECTION 10: Stability and reactivity

- 10.1. Reactivity** Incompatible with oxidising agents, acids and alkali sensitive metals such as aluminium.
- 10.2. Chemical stability** Stable under recommended storage conditions.
- 10.3. Possibility of hazardous reactions** No hazardous reactions are expected to occur.
- 10.4. Conditions to avoid** Extremes of temperature.
- 10.5. Incompatible materials** Incompatible with oxidising agents, acids and alkali sensitive metals such as aluminium.
- 10.6. Hazardous decomposition products** None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

- Acute toxicity: Contains ingredients classified as Acute Tox. Section 3. Mixture is not classified as Acute Tox.
- Skin corrosion/ irritation: Mixture is classified as Skin Corr. 1B. See section 2.
- Serious eye damage/ irritation: Mixture is classified as Eye Dam. 1. See section 2.
- Respiratory or skin sensitisation: Contains 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.
- Germ cell mutagenicity: Does not contain any ingredients classified as mutagenic.
- Carcinogenicity: Mixture is classified as Carc 2. See section 2.
- Reproductive toxicity: Does not contain any ingredients classified as toxic for reproduction.
- STOT single exposure: Contains an ingredient classified as STOT SE. Section 3. Mixture is not classified as STOT SE.
- STOT repeated exposure: Does not contain any ingredients classified as STOT RE.
- Aspiration toxicity: Contains an ingredient classified as Asp Tox. Section 3. Mixture is not classified as Asp Tox.

Routes of exposure/ symptoms

- Eye contact: Will cause severe irritation and damage.
- Skin contact: Causes burns.
- Inhalation: Breathing spray mist may cause irritation.
- Ingestion: Moderate toxicity, will cause irritation and damage to gastro-intestinal tract due to alkalinity.

SECTION 12: Ecological information

- 12.1. Toxicity** May affect aquatic organisms due to high pH if released into water courses untreated.
- 12.2. Persistence and degradability** All organic ingredients are biodegradable when well diluted. Surfactants used comply with biodegradation criteria, see section 15.1.
- 12.3. Bioaccumulative potential** Not expected to bioaccumulate
- 12.4. Mobility in soil** This product has high water solubility
- 12.5. Results of PBT and vPvB assessment** Contains no ingredients classified as PBT or vPvB.
- 12.6. Other adverse effects** No other adverse effects are anticipated.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Process effluent can normally be discharged to foul sewer (subject to consent limits).
- Large quantities, dispose via a licensed chemical waste contractor.
- Empty cleaned containers can be recycled where facilities exist or sent for landfill or incineration where permitted.

SECTION 14: Transport information

- 14.1. UN number** 1760 **14.2. UN proper shipping name** Corrosive Liquid, N.O.S.
- 14.3. Transport hazard class(es)** 8 **14.4. Packing group** 2
- 14.5. Environmental hazards** Not classified as environmentally hazardous for transport
- 14.6. Special precautions for user** No specific precautions.
- 14.7. Transport in bulk according to Annex II of MARPOL 7 3/78 and the IBC Code** Not available for bulk transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/ legislation specific for the substance or mixture

Contents according to (EC) regulation No.648/2004 on detergents:

NTA and salts thereof	5-15%
Anionic surfactants	5-15%
Nonionic surfactants	<5%

The surfactant(s) contained in this preparation comply with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them at their direct request.

15.2. Chemical safety assessment A chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements relating to ingredients (see section 3)

H319 Causes serious eye irritation

H290 May be corrosive to metals

H351 Suspected of causing cancer

H314 Causes severe skin burns and eye damage

H302 Harmful if swallowed

H318 Causes serious eye damage

H226 Flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H410 Very toxic to aquatic life with long lasting effects

Date of issue: 26 September 2014 Issue number: 1 Date of printing: 15 May 2015

This product should be stored, handled and used in accordance with good industrial practice and in conformity with legal regulations. The information in this data sheet is based on the present state of our knowledge and is intended to describe products from the point of view of safety requirements and thus should not be construed as guaranteeing specific properties. It is for users to satisfy themselves of the suitability of this product for their own applications.

